# Caddy Bag

### Cutting Requirements

#### Exterior Of Bag Fabric 1

- 1) Cut 2 x strips 11" wide across width of fabric.
- 2) From above cut......

1 @ 11 x 17" Font of Bag

1 @ 11 x 17" Back of Bag

2 @ 11 x 8 ½" Sides of Bag

1 @ 8 ½ x 17" Bottom of Bag

- 3)Cut 1 x strip 7" wide across width of fabric.
- 4)From above cut.....

2@7x19 Inside of Pockets

- 5) Cut 1 x strip 5" wide across fabric
- 6) From above cut .....

## 2@5 x 16 Handles.

Lining Fabric Fabric 2

1) Cut 2 x strips 11" wide across width of fabric

2)From above cut......

1@11 x 17 Front of Bag

1@11 x 17 Back of Bag

2 @ 11 x  $8\frac{1}{2}$  Sides of Bag

1 @ 8 ½ "x 17" Bottom of Bag

2@3x7 Side Tabs
2@3X9½ Closure tab

3)Cut 1 x 6 strip across Fabric

From above cut......

2@6x19 Outside of Pocket

4) Cut Binding strip 3  $\frac{1}{2}$  wide and enough to go around top of bag.

# Medium Weight Iron on Stabilizer

1) Cut 2 @ 10 x 16 Long sides of Bag

2)Cut 2 @ 10 x 7 ½ Short sides of Bag

3)Cut 2 @ 6 x 18 Pocket

4) Cut 1 @ 2 ½ x 6 Closure Tab

<u>Foam Bag stabilizer</u>

1)Cut 2 @ 10 x 16 Long sides of bag

2)Cut2 @ 10 x 7 ½ Short sides of Bag

3) Cut 1 @ 7 x 16 Bottom of Bag

4)Cut 2 @ 1 " x 16 Handles